

PRODUCT SPECIFICATIONS

Product DescriptionLi-ion rechargeable battery cell 21700Product NameEnercig EC-2175HCModelEC-2175HCManufacturerSystem TechnikBrandEnercig

Contents

Application Scope

| , pp | |
|--------------------------------|---|
| Model | 2 |
| Dimensions | 2 |
| Major Technical Specifications | 3 |
| Storage | 4 |
| Safety | 4 |



Application Scope

This product specification describes product performance indicators of Li-Ion battery produced by System Technik for Enercig.


Model

EC-2175HC

Dimensions



| Item | Dimension (mm) |
|------|----------------|
| Н | Approx. 71.5 |
| Ф | Approx. 22.00 |
| | |





Major Technical Specifications

| Item | Specification |
|---------------------------------|---------------------------|
| Typical Capacity | 3830mAh @ 0.2C discharge |
| Minimal Capacity | 3800mAh @ 0.2C discharge |
| Nominal Voltage | 3.7V |
| Standard Charge | CC/CV, 0.2C 5A, 4.20V |
| Standard Discharge | CC, 0.2C 5A, 3.00V |
| End-of-charge Voltage | 4.20V ± 0.05V |
| End-of-charge Current | 0.02C 5A (At CV mode) |
| End-of-discharge Voltage | 3.00V |
| Charging Time | Approx. 8 hours |
| Quick Charge Current | 3800mA (1.0C5 rate) 1C |
| Quick Discharge Current | 11400mA (3.0C5 rate) 3C |
| Max Discharge Current | 19000mA (5.0C5 rate) 5C |
| Internal Resistance | ≤ 20mΩ |
| Weight | Max. 70 ± 2g |
| Dimensions | Height: Max 70.3mm |
| | Diameter: Max 21.2mm |
| Operating Temperature | Charge : 0 to 45°C |
| | Discharge: -20 to 60°C |
| Storage temperature | -5°C – 35°C |
| Storage Humidity | ≤75% RH |



Storage

Long Time Storage: Store the battery in a cool, dry and well-ventilated area.

Safety

To ensure a proper and safe use of the battery, the following safety measures must be taken:

- Do not expose to, dispose of the battery in fire.
- Do not put the battery in a charger or equipment with wrong terminals connected.
- Avoid shorting the battery
- Avoid excessive physical shock or vibration.
- Do not disassemble or deform the battery.
- Do not immerse in water.
- Do not use the battery mixed with other different make, type, or model batteries.
- Keep out of the reach of children.

Charge and discharge

- Battery must be charged in appropriate charger only.
- Never use a modified or damaged charger.
- Do not leave battery in charger over 24 hours.

Storage

• Store the battery in a cool, dry and well-ventilated area.